
FILE NOTATI			
Entered in NID File	***********	Checked by Chief	***************
Entered On S R Sheet	And desired the garnes which bear loads	Copy NID to Field Office	
Location Map Pinned		Approval Letter	
Card Indexed	***************************************	Disapproval Letter	*****************
I W R for State or Fee Land	**********		
COMPLETION DATA	A:		
Date Well Completed	6-27-31	Location Inspected	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
OW WW	TA	Sond released	
ew os	. PA	State of Fee Land	***********************
	LOGS FIL	_ED	
Driller's Log	······································		
Electric Logs (No.	}		
E	E-I @	SR GR-N	Aicro
Lati	Mi-LSonic.	Others	# # # # # # # # # # # # # # # # # # #



DEPARTMENT OF THE INTERECT



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT RECORD OF	SHOOTING
NOTICE OF INTENTION TO CHANGE PLANS	į!	CASING
NOTICE OF DATE FOR TEST OF WATER SHUT-C		PULL OR OTHERWISE ALTER CASING
REPORT ON RESULT OF TEST OF WATER SHUT-		ABANDON WELL
	WELL SUBSEQUENT REPORT OF	ABANDONMENT
NOTICE OF INTENTION TO SHOOT	SUPPLEMENTARY WELL HI	STORY
(INDICATE ABOVE	BY CHECK MARK NATURE OF REPORT, NOTICE, OF	
(mid : · · · · · · · · · · · · · · · · · ·		331 , 188
	ork done on land under	described as follows:
Utah	*ashington	Virgin
(State or Territory)	(County or Subdivision)	(Field)
	SwiSE; Sec.10, Twp. 41 Sout	
(%)	Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
he well is located $-$ ft. ${N \brace S}$	of $-$ line and $-$ ft. $\begin{Bmatrix} E \\ W \end{Bmatrix}$ of	- line of sec
he elevation of the derrick floor ab	pove sea level isft.	
Ι	DETAILS OF PLAN OF WORK	
ate names of and expected depths to objective san	eds: show sizes, weights, and lengths of proposed casi all other important proposed work.)	ngs; indicate mudding jobs, cementing points, a
he work of plugging and mass been completed in the s	rking this well as require	i in contract I-ga-1297
	i contract and official not	on to mound of th
work June 85, 1821.		COS ON A DOGARA MI PIL
Moved an ding equipment, Spent remainder of day and with good abalo and mixed of 5° casing 18° long ext in cement. The marker was	cevent and other deterial of all of June 27, 1831 fill is at well read. Erected martending 4' shows ground levels capped with a screw cap.	to location June 26, 1951 ling open hole to surface ker consisting of a piece al and remainder embedded Left premises in a clea
Moved and ding equipment, Spent remainder of day are with good state and wixed of 5° casing 18' long ext in cement. The sarker was and orderly condition.	cevent and other deterial of all of June 27, 1831 fill is at well head. Erected martending 4' shows ground levels capped with a screw cap. Fork completed June 27, 1923	to location June 26, 1951 ling open hole to surface ker consisting of a pice el and remainder embedded Left premises in a clea
Moved an cling equipment, Spent remainder of day an with good shale and mixed of 5" casing 18" long extin cement. The marker wand orderly condition. The marker wand orderly condition. The same and orderly condition.	cevent and other deterial of all of June 27, 1831 fill is at well read. Erected martending 4' shows ground levels capped with a screw cap. Fork completed June 27, 1931 TO MAISTEMANCE IN A COMMITTEMANCE I	to location June 26, 1951 ling open hole to surface ker consisting of a pice el and remainder embedded Left premises in a clea
Moved murding equipment, Spent remainder of day ar with goal shale and mixed of 5° casing 18' long ext in cement. The sarker wa and orderly consisten. We save with a service of the sarker of the sar	cevent and other deterial of all of June 27, 1831 fill is at well head. Erected make tending 4' shove ground levels capped with a screw cap. Fork completed June 27, 1921 TO MAINTENANCE IN A COMMITTENANCE	to location June 26, 1951 ling open hole to surface exer consisting of a pice el and remainder embedded Left premises in a clea
Moved murding equipment, Spent remainder of day ar with goal shale will mixed of 5° casing 18' long ext in cement. The sarker wa and orderly condition. We SUPERVISOR, U. S. CEMAR	cevent and other deterial of all of June 27, 1831 fill is at well head. Erected make tending 4' shove ground levels capped with a screw cap. Fork completed June 27, 1921 TO MAINTENANCE IN A COMMITTENANCE	to location June 26, 1951 ling open hole to surface exer consisting of a pice el and remainder embedded Left premises in a clea
Moved au ding equipment, Spent remainder of day ar with good shale and mixed of 5° casing 18' long ext in cement. The marker we and orderly consisten. We SUPERVISOR, U. 5. COMM pproved July 18, 1951 (3)	cenent and other deterial and all of June 27, 1051 fill at well head. Frected man tending 4' above ground levels capped with a screw cap. Fork completed June 27, 1981 TO MAINTHAMPE IN A SOURCEL SURVEY. Company By By	to location June 26, 1931 ing open hole to surface oker consisting of a piecel and remainder embedded Left premises in a clear. The Satisfactory to the Land of the Satisfactory to the Land of the Satisfactory to the Land of the Land of the Satisfactory to the Land of t
Moved musting equipment, Spent remainder of day ar with good state said wixed of 5° casing 18° long ext in cement. The marker was and orderly condition. ***********************************	cevent and other deterial of all of June 27, 1831 fill is at well head. Erected make tending 4' shove ground levels capped with a screw cap. Fork completed June 27, 1921 TO MAINTENANCE IN A COMMITTENANCE	to location June 26, 1951 ling open hole to surface exer consisting of a pice el and remainder embedded Left premises in a clea
Moved and ding equipment, Spent remainder of day and with good shale and mixed of 5" casing 18" long ext in cement. The marker was and orderly consisten. We SUPERVISOR, U. 5. CONTACT pproved District Park	cenent and other deterial and all of June 27, 1051 fill at well head. Frected man tending 4' above ground levels capped with a screw cap. Fork completed June 27, 1981 TO MAINTHAMPE IN A SOURCEL SURVEY. Company By By	to location June 26, 1931 ing open hole to surface oker consisting of a piecel and remainder embedded Left premises in a clear. The Satisfactory TO THE

WASHINGTON Virgin

Star-Crescent 011 Co.-No.2, Parsons "A" NWSWSE Sec.10-418-12W (S.L.027759)

Well drilled to a depth of 1142' prior to the leasing act; plugged and abandoned June 27, 1931 under Government contract I-gs-1297. The hole was filled with mud fluid and regulation marker erected at the surface. Subsequent Report of Abandonment approved July 18, 1931. (Visited 6-29-31)

STATUS: Changed from Abd to PGE